

FLOS

F3174057 Chrome

IC Lights F2

Designed by Michael Anastassiades, 2014

Halogen - 205W



Floor lamp providing diffused light. Frame in brass, brushed and transparent varnished or chrome steel. Blown glass opal diffuser. Dimmer on the power chord.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

| | |
|-------------------|---------------------|
| EAN | 8059607003206 |
| Mounting | Floor |
| Environments | Indoor dry location |
| Light Source Type | Bulb |
| Lamp category | Halogen |
| Lamp holders | E27 |
| Ilcos | HSGS |
| Number of heads | 1 |
| Power (W) | 205 |

Physical

| | |
|---------------------|--------|
| Colour | Chrome |
| Length (mm) | 380 |
| Net weight (kg) | 8.3 |
| Package height (mm) | 0 |
| Package width (mm) | 0 |
| Package length (mm) | 0 |
| Package volume (m3) | 0.19 |
| IP internal | 20 |



Download

- Mounting instructions [PDF](#)
- Spare Parts [PDF](#)

Photometric Files


- LDT / IES [LDT](#)

Technical Drawings

- 2D [ZIP](#)
- 3D [ZIP](#)
- Bim [ZIP](#)



Schematic light drawing



Luminous flux Luminaire
1252 lm


Photometric

| | |
|--------------------|----------------|
| Lighting type | Total |
| Light distribution | Roto symmetric |

Electrical

| | |
|----------------------|-------------------|
| Insulation class | II |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-240 |
| LED voltage Vf (Vdc) | null |
| Dimmable | Yes |
| Dimming interface | Dimmer Integrated |
| Plug type | Type C |
| Batteries inside | No |


Bulbs



NOT INCLUDED

RF32288


LED Lamp E27 15W 2700K T38



NOT INCLUDED

RF32289


LED Lamp E27 15W 3000K T38



NOT INCLUDED

RF26259

LED Lamp 18W E27 2700K
Dimmable




NOT INCLUDED

RF26258

LED Lamp 18W E27 3000K T38
Dimmable

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | IC Lights 2 diffuser for chrome version | F3137057 |
| 02. | Led rondo' dimmer 220/240v 40-250w 4-100w | RF28045 |
| 03. | Screw kit with allen key for base assembly | RF3130100 |

DOWNLOAD

 Thumbnail

RF28045

Led rondo' dimmer 220/240v 40-250w 4-100w



F3137057

IC Lights 2 diffuser for chrome version

RF3130100

Screw kit with allen key for base assembly