Algorithm


0830


Design By Toan Nguyen

Pendant light fitting designed by Toan Nguyen. Composed of a collection of hand blown glass spheres with LED light source suspended at different heights, anchored to the ceiling via a floating tubular structure. Available with ceiling rose or built-in. The finishes are matt graphite and matt white.

Model Sheet







Optional: Extra cable length Min. quantity, upcharge and extra lead time apply [EN]

Finish

93 White

RAL 9016

18 Graphite ADAPTA RF 9913 WX

LED temperature color

2700 K / 3000 K / 3500 K

Dimmina

DALI 1-10V Push / CASAMBI

Instalation type Surface Canopy

Materials

Sphere: Blown glass Glass fastening: Aluminum Diffuser: Polycarbonate Pendant structure: Steel

6 x LED 3,15W 1050mA Light source

LED CRI>90 1873 lm 99

2700 K / 3000 K / 3500 K

Driver Constant Current 1050


100~240 V V 50~60 Hz HZ

Remarks Request built-in canopy at

www.vibia.com

The steel cables that go from the structure to the ceiling are the only ones that allow the height of the lamp to be adjusted. The installation manual describes how to do this and how to cut the





Application

Hanging lamps

Packaging 2 Box

1.3 m x 0.499 m x 0.18 m Gross weigth 9.3 Net weigth 5.8 Vol. 0.1756

Lighting effect

General Lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

49 59% Efficiency Coordinate System CG 1873 lm **Total Flux** 137.10 cd/klm Maximum Value

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty