



LOTIS 82 FOR LED GE (NEW)

One of the spot families that put us on the map, Lotis is always a good choice. Several smart lighting options are now available for Lotis 82, and wait until you see the list of new colour finishes. Add a unique touch to your space.

Art. Nr. 13080618

SPECIFICATIONS

| | |
|----------------|------------------------------|
| Lamp | 1x LED (not incl.) |
| Gear / Transfo | LED gear not incl. |
| Cut-out size | ø 76 h 100 |
| Weight | 0.16kg |
| Min. distance | 0.1 m |
| Power supply | |
| IP | IP20 |
| Glow wire test | 960° |
| Adjustability | Not Applicable |
| Remark | ! must be used with M-LED 50 |

| | |
|---------------|-----------------|
| black | 13080602 |
| black struc | 13080632 |
| bronze | 13080618 |
| champagne | 13080617 |
| gold | 13080646 |
| silver bronze | 13080606 |
| white struc | 13080609 |



LOTIS 82 FOR LED GE (NEW)

REQUIRED PARTS

M-LED

| | |
|----------|--|
| 14060805 | M-LED 50 3500K FLOOD GE ALU |
| 14060705 | M-LED 50 3500K MEDIUM GE ALU |
| 14060605 | M-LED 50 3500K SPOT GE ALU |
| 14060505 | M-LED 50 3000K FLOOD GE ALU |
| 14060405 | M-LED 50 3000K MEDIUM GE ALU |
| 14060305 | M-LED 50 3000K SPOT GE ALU |
| 14060205 | M-LED 50 2700K FLOOD GE ALU |
| 14060105 | M-LED 50 2700K MEDIUM GE ALU |
| 14060005 | M-LED 50 2700K SPOT GE ALU |
| 14061105 | M-LED 50 4000K FLOOD GE ALU |
| 14061005 | M-LED 50 4000K MEDIUM GE ALU |
| 14060905 | M-LED 50 4000K SPOT GE ALU |
| 14061405 | M-LED 50 1800-3000K WARM DIM FLOOD GE ALU |
| 14061305 | M-LED 50 1800-3000K WARM DIM MEDIUM GE ALU |
| 14061205 | M-LED 50 1800-3000K WARM DIM SPOT GE ALU |

