


# **Elipse**

## **Josep Lluís Xuclà**


**marset**



**Elipse P 48**



**Elipse P 79**



\* Cable length - 2,5 m.



info@marset.com  
www.marset.com

**Elipse P48 / P79**

LED 15W 2700K CRI90  
Light source- 1050lm  
(included)

**Lacquered aluminium tube, the interior always in white finish.**


- Graphite grey (RAL 7024)
- Brown (RAL 8019)

Black electrical cord.

IP65


- [Download](#) Assembly instructions
- [Download](#) Energy label
- [Download](#) 2D
- [Download](#) 3D
- [Download](#) Photometric data

**Dimmer Casambi IP65**



ABS case with powder-coated aluminum trim. Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.

**Range**




In expansive outside settings this lamp enhances the light that it emits as it interplays with whatever it illuminates: a tree, a garden, a wall, or a façade.





**Elipse A**



info@marset.com  
www.marset.com

**Elipse A**

2x LED 10W 2700K CRI90  
Light source - (x2) 700lm  
(included)


**Lacquered aluminium tube, the interior always in white finish.**

- Graphite grey (RAL 7024)
- Brown (RAL 8019)

IP65

- [Download](#) Assembly instructions
- [Download](#) Energy label
- [Download](#) 2D
- [Download](#) 3D
- [Download](#) Photometric data

**Range**



In expansive outside settings this lamp enhances the light that it emits as it interplays with whatever it illuminates: a tree, a garden, a wall, or a façade.